



Read
Sport
Issue
Daily

issue / Clash verge

brew jq json

```
curl -s -H "Authorization: Bearer set-your-secret" http://127.0.0.1:9097/proxies/
```

jq

```
curl -s -H "Authorization: Bearer set-your-secret" \
http://127.0.0.1:9097/proxies/ | jq
```

```
curl -s -H "Authorization: Bearer set-your-secret" \
http://127.0.0.1:9097/proxies/ \
| jq -r '.now'
```

```
curl -X PUT "http://127.0.0.1:9097/proxies/<" \
-H "Authorization: Bearer set-your-secret" \
-H "Content-Type: application/json" \
-d '{"name": ">"}
```

```
curl -X PUT "http://127.0.0.1:9097/proxies/" \
-H "Authorization: Bearer set-your-secret" \
-H "Content-Type: application/json" \
-d '{"name": "
```

3 (>)}'

iMessage

```
osascript -e 'tell application "Messages"
set targetBuddy to "hi@public.me"
set targetService to 1st service whose service type = iMessage
send " to buddy targetBuddy of targetService
end tell'
```

```
proxies:
- { name: '
```

31.74 GB', type: vmess, server: us.jiedian.stream, port: 443, uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls: true, skip-cert-verify: true, servername: gw.alicdn.com }

- { name: ' ', type: vmess, server: us.jiedian.stream, port: 443, uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls: true, skip-cert-verify: true, servername: gw.alicdn.com }

- { name: '2025-08-12', type: vmess, server: us.jiedian.stream, port: 443, uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls: true, skip-cert-verify: true, servername: gw.alicdn.com }

- { name: ' ', type: vmess, server: us.jiedian.stream, port: 443, uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls: true, skip-cert-verify: true, servername: gw.alicdn.com }

- { name: '01 (> >)', type: vmess, server: hk1.jiedian.stream, port: 8443, uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls: true, skip-cert-verify: true, servername: gw.alicdn.com }

- { name: '02 (> > >)', type: vmess, server: hk2.jiedian.stream, port: 8443, uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls: true, skip-cert-verify: true, servername: gw.alicdn.com }

- { name: '03 (> > >)', type: vmess, server: hk3.jiedian.stream, port: 8443, uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls: true, skip-cert-verify: true, servername: gw.alicdn.com }

- { name: '04 (> > >)', type: vmess, server: hk4.jiedian.stream, port: 8443, uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls:

```
true, skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_005 (xx>xx>xx)', type: vmess, server: hk5.jiedian.stream, port: 8443,
  uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls:
  true, skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_006 (xx>xx>xx)', type: vmess, server: hk6.jiedian.stream, port: 8443,
  uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls:
  true, skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_0001 (xx>xx>xx)', type: vmess, server: jp-1.jiedian.stream, port: 443,
  uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls:
  true, skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_0002 (xx>xx>xx)', type: vmess, server: jp-2.jiedian.stream, port: 443,
  uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls:
  true, skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_0003 (xx>xx>xx)', type: vmess, server: jp-3.jiedian.stream, port: 443,
  uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls:
  true, skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_0004 (xx>xx>xx)', type: vmess, server: jp-4.jiedian.stream, port: 443,
  uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls:
  true, skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_001 (xxxx>xx)', type: vmess, server: jp1-1.jiedian.stream, port: 443,
  uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls:
  true, skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_002 (xxxx>xx)', type: vmess, server: jp2.jiedian.stream, port: 443,
  uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls:
  true, skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_003 (xxxx>xx)', type: vmess, server: jp3.jiedian.stream, port: 443,
  uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls:
  true, skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_000 (xx)', type: vmess, server: sg-az.jiedian.stream, port: 443, uuid:
  17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls: true,
  skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_0001 (xxxx>xx)', type: vmess, server: sg1.jiedian.stream, port: 443,
  uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls:
  true, skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_0002 (xxxx>xx)', type: vmess, server: sg2.jiedian.stream, port: 443,
  uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls:
  true, skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_0003 (xxxx>xx)', type: vmess, server: sg3.jiedian.stream, port: 443,
  uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls:
  true, skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_0004 (xxxx>xx)', type: vmess, server: sg4.jiedian.stream, port: 443,
  uuid: 17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls:
  true, skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_xx (xx)', type: vmess, server: kr.jiedian.stream, port: 443, uuid:
  17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls: true,
  skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_001', type: vmess, server: us1.jiedian.stream, port: 443, uuid:
  17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls: true,
  skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_002', type: vmess, server: us2.jiedian.stream, port: 443, uuid:
  17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls: true,
  skip-cert-verify: true, servername: gw.alicdn.com }
- { name: 'xxx_001', type: vmess, server: 93.114.56.83, port: 443, uuid: 17afeaba-82fc-
  452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls: true, skip-cert-verify:
  true, servername: gw.alicdn.com }
- { name: 'x_xx : xxxxxx.net', type: vmess, server: 52.187.43.190, port: 443, uuid:
  17afeaba-82fc-452e-ada8-6b65e94aec8f, alterId: 0, cipher: auto, udp: true, tls: true,
  skip-cert-verify: true, servername: gw.alicdn.com }
```

proxy-groups:

```
- { name: xxxxxx, type: select, proxies: [xxxx, xxxx, 'xxxxxxx31.74 GB', 'xxxxxxxxxxxxx6
x', 'xxxxxx2025-08-12, 'x xxxxxxxxxxxxxxxxxxxxxxxxxx', 'xx_001 (xx>xx>xx)', 'xx_002 (xx>
xx>xx)', 'xx_003 (xx>xx>xx)', 'xx_004 (xx>xx>xx)', 'xx_005 (xx>xx>xx)', 'xx_006 (xx
>xx>xx)', 'xx_0001 (xx>xx>xx)', 'xx_0002 (xx>xx>xx)', 'xx_0003 (xx>xx>xx)', 'xx_xx
04 (xx>xx>xx)', 'xx_001 (xxxx>xx)', 'xx_002 (xxxx>xx)', 'xx_003 (xxxx>xx)', 'xx_xxxx
(xx)', 'xx_0001 (xxxx>xx)', 'xx_0002 (xxxx>xx)', 'xx_0003 (xxxx>xx)', 'xx_0004 (xxxx
```

```
0>00)', '00 00 (00)', '00 001', '00 002', '00 001', '0 00 : 00000.net'] }
- { name: 0000, type: url-test, proxies: ['0000031.74 GB', '00000000006 0', 00000
2025-08-12, '0 00000000000000000000', '00 001 (00>00>00)', '00 002 (00>00>00)',
'00 003 (00>00>00)', '00 004 (00>00>00)', '00 005 (00>00>00)', '00 006 (00>00>00)',
'00 0001 (00>00>00)', '00 0002 (00>00>00)', '00 0003 (00>00>00)', '00 0004 (00>00
>00)', '00 001 (0000>00)', '00 002 (0000>00)', '00 003 (0000>00)', '00 000(00)', '00 0
001 (0000>00)', '00 0002 (0000>00)', '00 0003 (0000>00)', '00 0004 (0000>00)', '00
00 (00)', '00 001', '00 002', '00 001', '0 00 : 00000.net'], url:
'http://www.gstatic.com/generate_204', interval: 86400 }
- { name: 0000, type: fallback, proxies: ['0000031.74 GB', '00000000006 0', 00000
2025-08-12, '0 00000000000000000000', '00 001 (00>00>00)', '00 002 (00>00>00)',
'00 003 (00>00>00)', '00 004 (00>00>00)', '00 005 (00>00>00)', '00 006 (00>00>00)',
'00 0001 (00>00>00)', '00 0002 (00>00>00)', '00 0003 (00>00>00)', '00 0004 (00>00
>00)', '00 001 (0000>00)', '00 002 (0000>00)', '00 003 (0000>00)', '00 000(00)', '00 0
001 (0000>00)', '00 0002 (0000>00)', '00 0003 (0000>00)', '00 0004 (0000>00)', '00
00 (00)', '00 001', '00 002', '00 001', '0 00 : 00000.net'], url:
'http://www.gstatic.com/generate_204', interval: 7200 }
rules:
```

Date: 2025-08-06
Words: 3121
Time to read: 15 mins

[Previous](#)

[Next](#)

29th August 2025

Claude code

29th July 2025

shell

dingfn © 2022-2025

[Tags](#) [Archive](#) [RSS feed](#) [GitHub](#) [Email](#) [QR Code](#) [About](#)

Made with [Montaigne](#) and by [anton](#) 