

□

□Read

□Sport

□Issue

□Daily

issue / oneapi-XXXXXX.log

□□1□□□□□□□□□□

□□□□ sdc3□□□□ /□ □□□□

```
oneapi-xxxx.log
```

□□□□□□

```
find / -xdev -type f -name "oneapi-*.log" 2>/dev/null
```

□□□□

```
/  
□□□□□□
```

```
-xdev  
□□□□□□
```

□□□

```
/ -> sdc3  
/boot -> sdb1  
/mnt/disk_b -> sdb3
```

□□□

```
find / -xdev ...
```

□□□□

```
sdc3
```

□□□□

```
/boot  
/mnt/disk_b
```

□

□□□□

□□□□

```
/www/logs/oneapi-api.log  
/www/server/oneapi-202506.log  
/opt/oneapi/logs/oneapi-error.log
```

□□□□□□

```
find / -xdev -type f -name "oneapi-*.log" -printf "%h\n" 2>/dev/null | sort -u
```

□□□

```
/opt/oneapi/logs  
/www/logs  
/www/server
```

□

□□2□□□□□□□□

□□□□□

```
sdb3  
□  
/mnt/disk_b
```

□□□

```
find /mnt/disk_b -xdev -type f -name "oneapi-*.log"
```

□

□□3□□□□□□□□□□

```
find / -xdev -type f -name "oneapi-*.log" -exec ls -lh {} \; 2>/dev/null
```

□□□□□

```
-rw-r--r-- 1 root root 1.2G /www/logs/oneapi-api.log
-rw-r--r-- 1 root root 500M /opt/oneapi/logs/oneapi-error.log
```

□

□□4□□□□□□□□□□□□ oneapi □□

```
find / -xdev -type f -name "oneapi-*.log" -printf '%h\n' 2>/dev/null | sort | uniq -c | sort -nr
```

□□□

```
25 /www/logs
12 /opt/oneapi/logs
3 /root
```

□

□□□□“□□□□□□”

Linux □□□□□□□□□□□□□□

```
□□□
□
□□□□□□
□
□□□□□□
```

□□□□

```
sdc3 -> /
sdb1 -> /boot
sdb3 -> /mnt/disk_b
```

□□□

□ sdc3□

```
find / -xdev -name "oneapi-*.log"
```

□ sdb3□

```
find /mnt/disk_b -xdev -name "oneapi-*.log"
```

□ sdb1□

```
find /boot -xdev -name "oneapi-*.log"
```

□

□□□□□□□□

```
oneapi-*.log
oneapi*.log
*.log
```

□□□□□□□□□□□□□□GB□□□□□□□□

```
find / -xdev -type f -name "oneapi-*.log" -exec du -h {} + 2>/dev/null | sort -hr
```

□□□□□□□□□□□□□□ oneapi □□□□□□



50MB oneapi-xxxx.log

```
find / -type f -name "oneapi-*.log" -size +50M -printf '%h\n' 2>/dev/null | sort | uniq -c | sort
```

12 /www/logs

- 5 /var/log/oneapi
- 2 /mnt/disk_b/logs

12 /www/logs

```
find /www/logs -type f -name "oneapi-*.log" -size +50M -printf '%h\n' 2>/dev/null | sort | uniq -c
```

```
find / -xdev -type f -name "oneapi-*.log" -size +50M -printf '%h\n' 2>/dev/null | sort | uniq -c
```

12 /www/logs

```
find /mnt/disk_b -xdev -type f -name "oneapi-*.log" -size +50M -printf '%h\n' 2>/dev/null | sort
```

find -exec du -b {} + 2>/dev/null \

```
awk '{
  size=$1
  file=$2
  sub(/\/[^\/]+$/, "", file)
  cnt[file]++
  sum[file]+=size
}
END{
  printf "%-10s %-12s %s\n", "COUNT", "SIZE(GB)", "DIR"
  for(i in cnt)
    printf "%-10d %-12.2f %s\n", cnt[i], sum[i]/1024/1024/1024, i
}' | sort -k2 -hr
```

20MB oneapi

```
find /www/wwwroot/workerapi.org/logs \
-type f \
-name "oneapi-*.log" \
-size +2M \
-exec du -h {} + | sort -hr
```

Date: 2026-06-13
Words: 769
Time to read: 3 mins

[Next](#)

20th February 2026
New API